


PTW Safety Checklist No. 07



OPERATION OF HABITATS

Other Checklists that may be relevant:		1 , 24 , 27
Permit Number:		Date:
Rev 2.0	Issue Date: 13/12/2017	Authorised By: PSM

Use of Habitats:

The use of habitats is to create a safe environment in a potentially unsafe environment. The use of habitats is considered to be a last resort, if situations where hot work cannot be designed out of the task and where such hot work cannot be undertaken during a shutdown or under suitable wind direction conditions.

Habitat Operation:

Tick when done
Y N N/A

- 1 Has the following been agreed?
 - The habitat air supply shall be run for a minimum period of 10 minutes, prior to entry of habitat, to ensure full purging of the internal atmosphere
 - The PICWS SHALL ensure that on completion of work in the habitat, all power and fuel supplies are isolated and that no hot spots remain prior to shutting down habitat pressurisation supply
 - All hot work should cease 15 minutes before leaving the worksite, to allow a cool down period inside the habitat. During this period the habitat should be cleaned out and made safe. A safety observer SHALL also remain on site during this period.

- 2 The habitat daily inspection has been completed and recorded on the habitat inspection register below.

Habitat Inspection Register

(to be completed each day prior to habitat use, PICWS to initial)

Date										
Habitat and ducts gas and oxygen tests complete										
Fire resistant material on floor										
Manometer indicates a positive pressure of 5mm water or greater										
Continuous gas monitor stationed inside habitat										
Charged fire hose available										
Portable fire extinguishers available inside and outside of habitat										