

PTW Safety Checklist **No.68**

WORKING WITH ASBESTOS and REFRACTORY CERAMIC FIBRES

Other Checklists that may be relevant:		00 59
Permit Number:		Date:
Rev 1.0	Issue Date: 02/07/2021	Authorised By: PSM

Links to reference documents

[Todd Energy Asbestos Management Plan](#)

[Todd Energy Kapuni Health Hazard Asbestos Registers](#)

[Todd Energy M&M Health Hazard Asbestos Register](#)

[Work Safe Information Sheet - Personal Protective Equipment to use when working with asbestos](#)

PREPARATION ALL TYPES:

	Y	N	N/A
1 The Site Asbestos Register has been consulted to ensure the work team are aware of all locations on the site and work areas that are registered to contain asbestos.	<input type="checkbox"/>	<input type="checkbox"/>	
2 The company or contractor completing the asbestos removal work confirms that health monitoring is undertaken on all workers involved in the asbestos removal.	<input type="checkbox"/>	<input type="checkbox"/>	
3 The company or contractor completing the asbestos removal work confirms that all workers involved in the asbestos removal have been trained in the identification, safe handling of and control measures for asbestos. For Class B (non-friable) US 29765 and Class A (friable) US 29766	<input type="checkbox"/>	<input type="checkbox"/>	
4 A licensed asbestos removalist has been consulted on the methodology of the job. (for minor work <10m ² , completed by Todd's staff only)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5 The person responsible for the job has informed all worksite staff that asbestos removal work is taking place.	<input type="checkbox"/>		
6 At a minimum, all members of the work party have respirators (P3 minimum), disposable type 5/6 coveralls, and non-laced safety footwear or disposal slippers over boots.	<input type="checkbox"/>	<input type="checkbox"/>	
7 RPE filters have been replaced within last 3 months.	<input type="checkbox"/>	<input type="checkbox"/>	
8 Respirators being worn during asbestos removal will be appropriate for the scale of the work and rated for asbestos removal.	<input type="checkbox"/>	<input type="checkbox"/>	
9 Visible warning signs, minimum of 'Danger' tape and or barriers will be erected during the work to indicate that asbestos removal work is in progress and to ensure that no one other than those associated with the work have access to the area.	<input type="checkbox"/>	<input type="checkbox"/>	

Y N N/A

- 10 Disposal of asbestos waste is to an approved asbestos landfill, in approved/labelled asbestos waste bags and entered into the site waste register.

ASBESTOS REMOVAL WORK FOR CLASS A & B:

- 11 The person supervising the asbestos removal will be at the worksite for the duration of the job and holds US 29767.

Name: _____ Expiry Date: _____

- 12 For more than 10m² of asbestos removal, a notification of particularly hazardous work has been made to WorkSafe by the contracting company completing the work at least 5 days prior to the work commencing or via phone as per section 34.3 of the Asbestos Regulations.

Sighted by: _____ Expiry Date: _____

- 13 The contractor completing the asbestos removal work confirms that all workers involved in the asbestos removal have been trained in asbestos handling. (US29765, US29766)

- 14 For Class A work, the person responsible for the job has put together a plan for air monitoring as per section 43.3 and 43.4 of the Asbestos Regulations.

- 15 The Todd person responsible for the job has approved the clearance procedures proposed by the removalist. In the case of Class A, this includes surface testing and air monitoring before the enclosure is dismantled. In the case of Class B this includes surface testing and air monitoring.

- 16 Where the asbestos to be removed is friable (easily crumbled) or if non-friable, area is greater than 10m² an asbestos removal plan has been developed and available at the work site. The Asbestos removal plan must include the following:

- Details of how the asbestos will be safely removed, including method and tools, equipment, and PPE.
- The locations, type, and condition of the asbestos to be removed.
- A description of the removal area and air monitoring points.
- Any decontamination procedures for personnel and equipment.
- Dismantling of any enclosures/decontamination facilities.
- Clearance procedures.
- Transport and disposal details for the waste.

UPON COMPLETION OF WORK:

- 17 Disposal of asbestos waste is to an approved asbestos landfill, in approved/labelled asbestos waste bags.
- 18 The site asbestos register has been updated.
- 19 The waste management register is updated.

Revision and Approval Details

Revision	Published Date	Reason for Issue	Author	Reviewer	Reviewed Date	Approver	Approved Date	Document Initiated
1	5/08/2021 7:35:10 AM	Approved for Use	Peter Martin	Dion West;Peter Ingram;Mark Campbell;Brendon Hart;Stephen Harrison	2/07/2021 12:00:00 AM	Peter Martin	4/08/2021 4:05:33 PM	5/07/2021 8:43:16 AM